

REAL-TIME REMOTE
TRANSCRIPTION OR TRANSLATION SERVICE

BACKGROUND OF THE INVENTION

5
1. **Field of the Invention**

This invention relates to a system and method for providing transcription or translation services in general, and, in particular, to a system and method for the real-time transcription or translation of meetings or conversations using a computing device.

10
2. **Description of the Related Art**

Presently, there are several methods for the deaf and hearing-impaired to interpret those speaking to them. One method is lip-reading, which can be inaccurate, and requires the lips of a speaker to remain in direct view at all times. Another method is having a live interpreter, who listens to the conversation and translates the spoken words into sign language, and vice-versa. Another method is having a live stenographer, who listens to the conversation and types the spoken words so that they may be viewed in real-time and responded to. Yet another method is a stenographic, or Automatic Speech Recognition (ASR), program, which transcribes the spoken words in the same manner as a live transcriber.

There are problems with all of these methods. The problems with lip-reading have been mentioned. The problems with a live interpreter or stenographer are much the same. For one thing, there are a limited number of interpreters or stenographers, so that providing one for each deaf or hearing-impaired person would be impossible. For another thing, the costs of obtaining

either an interpreter or a stenographer makes their use for relatively short conversations, i.e. 5 to 30 minutes, unrealistically exorbitant. Besides cost, the use of a stenographer or interpreter may be found awkward for short passing conversations in a corridor or by the water cooler at work.

5 Although using a computer program, i.e. ASR, is cheaper than an interpreter/stenographer, ASR has its own problems. If the ASR program is speaker-dependent, it requires a certain amount of time to be trained to the intonations of each individual speaker. This would require multiple speaker profiles to be stored in order that the ASR program could deal with any impromptu conversation at work or in a social situation. These profiles would use up more and more storage space. And there would always be the problem of meeting new people, for whom no profile has been created. If the ASR program is speaker-independent, it is considerably more inaccurate.

Because of recent advances in mobile and network computing, interpretive services for the deaf and hearing-impaired are now possible using portable devices in greatly expanded environments.

20 In short, there is a need for a system and method for providing portable interpretive services for the deaf and hearing-impaired. There is also a need for an interpretive service that is as accurate as a live stenographer or interpreter, but more cost-effective. In addition, there is a need to apply current advances in network and mobile computing to interpretive services for the deaf and hearing-impaired.

SUMMARY OF THE INVENTION

An aspect of this invention is to provide a system and method for a networked transcription/translation service using a small portable device.

5

Another aspect of this invention is to provide a system and method for a transcription/translation service using a networked device.

Another aspect of the invention is to provide a system and method for a flexible transcription/translation service that uses the most cost-effective method available for transcribing or translating a conversation in real-time.

Yet another aspect of the invention is to provide a system and method for providing a cost-effective transcription service for impromptu meetings or discussions that require a certified transcription.

A further aspect of the invention is to provide a system and method for a cost-effective real-time service for translating foreign languages.

20 To fulfill the above and other aspects, a system and method for real time transcription or translation is provided. In one embodiment of the system and method, a user requests transcription/translation service with certain service parameters. It is determined what resources can be used for such service, and, if all the service parameters can be met, the service is

performed. Resources include live stenographers or translators, and computer processing power. If all the service parameters can not be met, it is determined whether to perform the service by meeting only some of the service parameters. These determinations may be programmed into the system beforehand. In another embodiment of the system and method, a user makes a request for transcription/translation service, and the request is displayed so that stenographers or translators may make bids to perform the transcription/translation service. In some embodiments, the request is only displayed to those stenographers or translators who are determined to be able to perform the service. Bids are received and stored. The user chooses whether or not to accept a bid.

BRIEF DESCRIPTION OF THE FIGURES

The foregoing and other objects, aspects and advantages will be better understood from the following detailed description of preferred embodiments of the invention with reference to the following drawings:

FIGs. 1A to 1D are block diagrams of various environments in which embodiments of the present invention may be employed;

FIG. 2A and 2B are block diagrams of two different embodiments of a transcription center according to the present invention;

FIG. 3 is a flowchart of a method of transcription service according to one embodiment of the present invention;

FIG. 4 is a flowchart of a method of transcription service according to another embodiment of the present invention;

FIGs. 5A and 5B are examples of Job Offer Input displays according to embodiments of the present invention;

FIGs. 6A and 6B are examples of Bidding displays according to embodiments of the present invention;

FIG. 7 is an exemplary Generated Bid display according to an embodiment of the present invention; and

FIG. 8 is an exemplary Stenographer Sign-Up display according to an embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following description, the terms “server” and “database” are used in a generic functional sense. The term “server” should be understood within the client/server architectural model—the client requests a service, the server provides a service. The term “database” can be

understood in its most broad definition, as a data structure storing records. Thus, the servers and databases described below are not necessarily housed in different pieces of hardware. Indeed, any of the servers or databases could be implemented using a distributed network system, where the functional elements of a server or database are not only distributed among nodes, but will often migrate from node to node. On the opposite end of the spectrum, all of the servers and databases discussed below could be resident on one mainframe computer. However much of each server or database is implemented in software, firmware, or hardware is also open to many variations, as is well known in the art.

In like manner, the terms “network” and “computer” are used in the most general sense. A “computer” is any computing means, from a single microprocessor or micro-controller to a computer system distributed over multiple processing nodes. A “network” includes any means that connects computers. Thus, although the preferred embodiments use the Internet and an Ethernet Local Area Network (LAN), the nodes could connect to a central server through individual point-to-point connections. Other terms in the text are also to be understood in a generic functional sense, as would be known by one skilled in the art.

Furthermore, although most of the description of the embodiments discussed below are directed towards transcription, the present invention is also applicable to the translation of foreign languages.

I. Environments

The present invention may be embodied in many different environments, as shown in FIGs. 1A-1D. For example, in FIG. 1A, a user 100 carries a personal digital assistant (PDA) 101, which is enabled to perform a transcription service. The PDA 101 is either connected to or integral with a cellular telephone that is in wireless communication with a base station 110. This base station 110 is, in turn, connected to a Public Switched Telephone Network (PSTN) 120. The PDA 101 connects to a transcription center 150, either through the PSTN 120 and the Internet 130 or through the PSTN 120 as a direct telephone call to a receiver server at the transcription center.

Another embodiment is shown in FIG. 1B, where each floor in building 115 is wired with radio antennae (160A, 160B, and 160C). The radio antennae 160 are connected to a central server 165, which maintains a connection with transcription center 150, by means of network 135. Although network 135 is pictured as a LAN, it could be the Internet, a dedicated wireline connection, a PSTN connection, etc. In this embodiment, residents in building 115 wear small electronic badges on the outside of their clothing. Each of these badges has a microphone, identifying circuitry, and a wireless connection to the closest radio antennae, as well as the closest PDA. These badges allow server 165 to instantly identify user profiles for transcription services. The user 100 again has a PDA 101 through which transcription services are requested and implemented.

The embodiments in FIG. 1C show various connections made over the Internet 130 to transcription center 150. Transcription services could be sought at home, through personal computer (PC) 170, using microphone 175. PC 170 has a dedicated connection in FIG. 1C, but obviously the connection may be made using a telephone line and a modem. Airport 177A may also require transcription services, which may be provided through kiosk 177B. Kiosk 177B has a screen, microphone, and an embedded processor.

Kiosk 177B brings up another use for the present invention—translation services. The equipment would remain essentially the same as the other embodiments, but transcription center 150 would operate as a translation center. This could be useful when renting a car 179B in a foreign country. The car 179B is equipped with a screen, microphone, embedded processor, and a wireless connection with antenna 179A. Antenna 179A is connected, via the Internet 130, with transcription (translation) center 150. When passengers encounter native language speakers, they can use the car's devices to translate the conversation. Furthermore, the car 179B can be used as a relay station, so that a user may use a microphone- and radio-equipped PDA for translation services at a distance from car 179B. The PDA would remain in contact with car 179B, which would relay communications to antenna 179A. Furthermore, the environment in FIG. 1B could be applicable to building housing an international agency, when an embodiment directed towards translation is used.

Yet another embodiment is shown in FIG. 1D, where the user wears what appears to be a pair of glasses 180. The glasses 180 actually consist of a microphone, and a display screen 185, seen only by the wearer, on the inside of the lenses. The display screen 185 has a Graphical User

Interface (GUI), which the user manipulates with a wireless mouse 190. The wireless mouse 190 takes the form of a pen with a rollerball that may be controlled with the thumb. Both the wireless mouse 190 and the glasses 180 are in wireless communication with PDA 195, which is connected to the user's belt. PDA 195 provides the processing power and the communication link with the transcription center 150.

Several different embodiments have been shown here, but many more are possible, as is well known in the art. Furthermore, elements in each embodiment shown here may be interchanged. For example, the glasses in FIG. 1D could be used in the environments of FIGs. 1A and 1B. Although a PDA is used in some embodiments to show the transcribed (or translated) words, any screen device could be used.

II. Transcription Service Center

The transcription service center 150, according to one embodiment of the present invention, is shown in FIG. 2A. The transcription service center 150 takes the form of a service center with centralized control, where there is a pool of stenographers 210 on call. The requests for service come from the network to Routing Server 201, which, as described below, determines how to service the request. The Routing Server 201 is connected to Client Database 205, which stores information concerning the customers, or users, that use the transcription service. The Routing Server 201 may hand the request off to the Stenography Server 215, which organizes the work of the pool of stenographers, or to the ASR Server 220. ASR Server 220 is connected to ASR Speaker Profile Database 225, which stores speech profiles of particular individuals.

In the embodiment in FIG. 2B, the transcription service center 150 is Internet-based. Instead of a pool of stenographers at a specific location, individual stenographers, such as stenographer 231, are connected through the Internet 130 to the transcription service center.

5 Stenographer 231 has his stenograph machine connected to PC 235, which is maintaining a connection to the Internet 130. Stenographers sign up for service by means of the Stenography Sign-up Web Server 237. Records concerning stenographers are maintained at Stenographer Database 239. A stenographer record would include billing information, contact and address information, capabilities, history with the transcription service, etc.

Requests for service come across the Internet 130 through unsecured LAN 250 to Transcription Request Web Server 247. If the request meets predetermined requirements, such as a matching customer record and an appropriate billing history, the Transcription Management Server 240 allows a connection to be made across Firewall 245 to secured network 255. The Transcription Management Server 240 then directs the connection to ASR Server 220 or to a stenographer to begin the service. In FIG. 2B, the request and the stenographer connection is made on the Internet, but, in other embodiments, the request or the stenographer connection could be made by direct phone line to the transcription service center.

20 Because this information is being transferred to the Web Servers over the Internet (or any network), a program layer operable in the browser and web server is used to encrypt and decrypt the information. In the web browser embodiments discussed here, SSL (Secure Socket Layer),

which uses a public and private key encryption system, is used to pass sensitive data between user terminals and the transcription service center.

5 Separation is maintained between secure information, such as customer, stenographer, and billing records, on secured network 255 and the Internet, through unsecured LAN 250, by Firewall 245. The web servers provide access in browser format to secured information, but an Internet user will not be able to directly access the secured information. Although the embodiment in FIG. 2B uses a Web Server, any network server system that provides individual files that can be accessed by different authorized groups could be used. In this embodiment, the Web Servers act as an interface between the protected secured data in database form on the secured network 255 and the users, stenographers, or surfers who are attempting to access that data from the Internet 130. Other interface servers could be used rather than Web Servers. The term "Web Servers" is to be understood as a World Wide Web-type server that delivers web pages to clients. The web pages are in HTML (Hypertext Mark-up Language), but could be in any mark-up language decipherable by the browsers being used on the network. In this embodiment, data is retrieved from and posted to other servers using CGI (Common Gateway Interface).

20 In another embodiment, the transcription service is completely decentralized and distributed over the Internet. This type of distribution would provide locally cached copies of user (customer) records, speaker profiles, and stenographer records, as well as determine the stenographer with the least-cost communication route to the user. Because of this distribution, the service would avoid the bottlenecks and slowdowns of communication that are endemic on

the Internet. One company that provides a system of distributed servers on the Internet is Akamai™ (<http://www.akamai.com/>) On the opposite extreme from complete distribution would be a transcription service completely centralized in one server. In a completely centralized embodiment, stenographic services would not necessarily be offered, and the transcription service would be provided by ASR.

As discussed above, according to the present invention, the different servers are not necessarily running on different processors and, on the other hand, each individual server may be split up among multiple processors.

III. Business Models

Many different business models could be used with the various embodiments of the present invention. For example, the system in FIG. 2A is appropriate for a business with centralized control, where the stenographers are employees, and the customers are billed directly by the business. Customers could either pay per piece of work or pay a retainer for continual service. The system in FIG. 2B could also be used by a centralized business, but the system might also act as a broker for transcription services. In that case, the system is the clearinghouse between the customer and the stenographer, and makes money by charging a fee per transaction.

There are also many procedures possible with the various embodiments of the present invention. The procedures run from the fully automated, where the user only indicates a desire for a transcription, to the largely entry driven, where the user enters all the parameters for the

transcription service. One of the determining factors for the procedure is the complexity of the system being used. The system in FIG. 2A could be fully automated, i.e. require very little input from the user. However, if the system in FIG. 2B were used as a brokerage house, the user would need to enter many parameters in order to receive transcription service.

5

In the following descriptions, one stenographer is assigned to perform the transcription service, but it should be noted that more than one stenographer may be employed for a single transcription job. Often, when a long meeting that is transcribed, a team of stenographers is used to perform transcription. In other embodiments, the processes below would involve such a team of stenographers.

FIG. 3 is an example of a fully automated procedure where the transcription service is on-call. In step 301, a transcription request, which could be sent by a simple button push on a PDA, is received by the system. In step 302, the system checks whether any stenographers are available. In the embodiment of FIG. 3, it is assumed that live stenography is preferred by the user, but, if no stenographers are available, ASR can be used. If stenographers are available, it is determined in step 305 whether the user has a preference for a stenographer. Such a preference could take the form of a particular skill level, or the name of a particular stenographer. In the business model for this embodiment, an extra fee could be applied if this preference is actually satisfied by the system. On the other hand, the user might pay a monthly fee for a particular level of effort on the part of the system to meet the users' preferences.

job, the incomplete profile is discarded. In other embodiments, the incomplete profile is stored and continually refined each time the same speaker is transcribed.

5 In all embodiments, including those directed towards language translation rather than transcription, the steps concerning ASR can be removed. If they remain in a translation embodiment the ASR program recognizes speech in one language and another program translates from that language into another. In any embodiment, the ASR component could be removed, and only live translation or transcription offered.

As stated above, FIG. 3 is a fully automated procedure that could be performed using the system in FIG 2A. The procedures in other embodiments would use a great deal more user input, as well as stenographer input, in order to match up stenographers with users. On the opposite end of the spectrum from the fully automated on-call procedure of FIG. 3, there is the conditional bid-and-offer per-job procedure as described in FIG. 4. In the conditional bid-and-offer per-job procedure of FIG. 4, it is market forces that determine what kind of service is offered and accepted by the user or customer. It should be noted that different embodiments of the present invention would cover the full range between and beyond the extremes of FIG. 3 and FIG. 4.

20 In the conditional bid-and-offer job procedure as described in FIG. 4, it is assumed a system like the one in FIG. 2B is used. FIGs. 5-8 are examples of input screens for users and stenographers, and they show the various types of information that would need to be input during the procedure in FIG. 4. In step 401 of FIG. 4, a job offer is entered at the transcription request

web server 247 in FIG. 2B. In this embodiment, the customer or user uses a web browser program, such as Netscape Navigator™, on a PC, such as 170 in FIG. 1C, to make a job offer, as well as access and post information, at the transcription center 150. When making a job offer, a user would click on a "Job Offer?" button or a "Transcription Service Required?" button on the opening Web page. In this context, the terms "click" and "double-click" signify a user pressing the button on a mouse attached to a computer. However, any means of selecting and "pressing" screen icons using a cursor may be used. For instance, the user might use the glasses and wireless mouse apparatus of FIG. 1D. After clicking the button, a pop-up window, which has fields to enter a login name and password, as well as "New client?" button, appears. When the "New client?" button is pressed, the potential customer is prompted to enter registration information, including billing and contact information. This registration information is used to create a Client Record for that customer in Client Database 205. In addition, a login name and password is selected for the new customer. As mentioned above, the communications between the browser client and the Web Server are encrypted using SSL.

Having entered a login name and password at the pop-up window, the customer is presented with a menu of choices, including options to change registration and to post a job offer. If posting a job offer, the customer is then presented with a Job Offer Input Web page, an example of which is shown in FIGs. 5A and 5B. The Job Offer Input Web Page is used as an interface to create a new database file in the Job Posting Database Server 249. The fields in the Job Posting Database Record consist of the information entered via the Job Offer Input Web Page, and additional information automatically generated by the Transcription Management Server 240.

Referring to FIG. 5A, the customer name and account number 510, and an automatically generated job number 515, are displayed in the upper left-hand corner. The customer enters the date and time of the transcription job in the appropriate fields 520. The customer can either enter the starting and ending times, or enter a total estimated time and an estimated time of day. At 530, the customer indicates whether a particular stenographer is desired. In order to guarantee that the parties don't negotiate separately from the website, stenographers are only identified to the customer by a number. The number of speakers is entered at 540, and the microphone environment is described at 545. At 550, the customer indicates the time when the bidding will close, which is when the customer will have to select a bid. Whether the customer wants to automatically accept the lowest bid is entered at 555. An opening offer 561 and a preferred skill level 563 may also be entered. FIG. 5B shows an example of a Job Offer Input display on a PDA. In FIG. 5B, the image of the clock is manipulated via the touchscreen in order to simplify the entering of particular times. An image of a calendar is used to enter the date.

Returning to FIG. 4, after the job offer is entered at step 401, the Transcription Management Server 240 checks the Job Posting Database 249 and the Stenographer Database 239 to ensure that there is at least one stenographer available and capable of performing the job at step 405. If there is at least one, the Transcription Management Server 240 sends e-mails to all available and capable stenographers informing them of the details of the job offer at step 410. If there are no available and capable stenographers at step 401, the customer is offered the services of an ASR program at step 440. The 440 ASR steps will be described below. In the situation where the customer entered a particular stenographer as desired at 530, the steps are

different than shown in FIG. 4. Namely, if the desired stenographer is available, an e-mail is sent to the desired stenographer, and the two parties negotiate by means of the Stenography Sign-Up Web Server 237. If the particular desired stenographer is not available, the customer determines whether to enter the job offer to the pool of stenographers.

5

Returning to the path that assumes that there are stenographers, after step 410, a Bidding Web Page is generated and posted to the Stenography Sign-Up Web Server 237 at step 415. It is determined whether any stenographers have made a bid for the job at step 420. Stenographers bid for the job using the Stenography Sign-Up Web Server 237. If a bid is received, it is stored in the Job Posting Record and the customer is informed at step 423. The customer may determine to accept the bid at step 425. If so, the Bidding Web Page is removed at step 429B, and the job contract is perfected at step 450. If the customer doesn't accept the immediate offer at step 425, or no bid is received at step 420, it is determined whether the closing bid time has been reached at step 427. If the closing bid time has not been reached, the procedure returns to step 420 to determine whether a bid has been made. If the closing time has been reached in step 427, the Bidding Web Page is removed at step 429A.

While the bidding continues, the customer and the stenographers can view the bids via the Bidding Web Page, which is created using data stored in the Job Posting Record at Job Posting Database 249. An example of a Bidding Web Page is shown in FIGs. 6A and 6B. Referring to FIG. 6A, the information concerning the job is shown at the top 610 of the page. The highest and lowest bids are shown at 611 and 612. Below this information are fields 620 showing the details concerning bids that have been made. 621 indicates the information

concerning one bid, including the stenographer number, skill level, the amount of the bid, and a link 621A to more information concerning that particular stenographer. FIG. 6B is an example of a similar display on a PDA.

5 Returning to FIG. 4, once the Bidding Web Page is removed in step 429A, it is determined, at step 430, whether any bids have been received. If no bids have been received at step 430, just as when there are no available and capable stenographers in step 401, the procedure jumps to, or continues, at the 440 steps. In the first step, step 440, the customer is asked whether he or she wishes to use an ASR program instead. If not, the procedure ends. If so, the customer is asked additional information in step 443. Such requested information includes whether the speaker at the job already has a profile stored in the Speaker Profile Database 225. If there is a profile, the customer indicates which stored profile it is. On a PDA embodiment, the profiles stored for that customer might be scrolled through by name. If there is no stored embodiment, in some embodiments, the system asks if the customer wishes to create one. Once the additional information is given in step 443, the Transcription Management Server 240 generates bids and displays them to the customer. The customer decides whether or not to accept one of the displayed generated bids in step 449. If none are accepted, the procedure ends. If a generated bid is accepted by the customer in step 449, the system proceeds to perfect a contract concerning the job in step 450.

20 An example of the bids generated by the Transcription Management Server 240 are shown in relation to an example of a Generated Bid Web Page in FIG. 7. In a manner similar to FIG. 6A, the information concerning the job is shown on top of the page. However, the bids 720

are separately indicated by the amount and kind of resources that would be used by the system. In other words, the customer is viewing bids on varying levels of computer processor time, speed of communication, and memory resources. In the example of FIG. 7, bid offer number 1, indicated by 721, provides a guarantee that the system would provide a minimum cycle time of 750 HZ, a minimum latency between spoken word and screen display of that spoken word of 20 ms, and an estimated accuracy of 89%, for a cost of \$50. In addition, the customer could spend \$55 to receive an e-mail transcript of the conversation in addition to the real-time transcription service, or \$60 to be mailed a printed transcript. Other embodiments could provide parameters involving any facet of the communication links or computing resources to be bid on. In other embodiments, guaranteed levels of speed, resources, and accuracy are included in the bids by live stenographers or translators as well.

Returning to FIG. 4, once the Bidding Web Page is removed in step 429A, and it is determined, at step 430, that some bids have been received, the system then determines, in step 433, whether the customer has selected the option to automatically accept the lowest bid (in 555 of FIG. 5A). If the customer has selected automatic acceptance, a job contract on the lowest bid is perfected in step 450. If the customer has not selected automatic acceptance, the customer is informed, at step 435, that he or she must now select a bid. In step 439, it is determined whether the customer has selected a bid. If the customer chooses to not select a bid, the procedure jumps to step 440 in order to determine whether the customer wants to use an ASR program. If the customer selects a bid in step 439, a job contract concerning that bid is perfected in step 450. In step 455, a verification of the perfected job contract is sent to both the stenographer and the customer, and the job is performed in step 459.

In order that a pool of stenographers be matched to the desired qualities in step 405, stenographer records are maintained at Stenographer Database 239. To create a stenographer record, a stenographer 231, using PC 235, must first sign up, or subscribe, on the stenography sign-up web server 237 in order to indicate their willingness to be a transcription stenographer. When first arriving at the opening web page at the Stenography Sign-Up Web Server 237, stenographer 231 would click on a "Sign up?" button or a "Change Your Stenographer Record?" button. At this point, a Stenographer Sign-Up Web Page, such as the example in FIG. 8, is displayed for the stenographer to enter relevant data. Although entitled the Sign-Up Page, this page is used by already signed up stenographers to access information concerning their accounts.

In the upper left-hand corner of the Sign-Up Web Page shown in FIG. 8, information such as Name 801, Address 805, and Contact Information 807 is entered. An identification number 810 is automatically generated by the system, and this Id number 810 will be used to identify the stenographer to the various customers. Most of the information on this page is kept secret from both the customers and other stenographers. Hours of Availability 820 uses a graphic representation of a week for the stenographer to point and click in order to indicate when he or she is available for work. Time periods of unavailability, such as vacations, are also entered in this area. Previous Experience 830 indicates the amount and type of work previously engaged in by the stenographer. Training 840, of course, bears on the stenographer's previous experience. Job History 850 shows the history of the stenographer with this web business, i.e., how many jobs successfully bid for, average price per hour, etc. Past Reviews 855 give anonymous reviews of past job performance from customers. Skill Level 860 may be

determined in a number of ways. In one embodiment, analysts at the web business create a skill level rating based on work experience, training, etc. In another embodiment, the stenographer enters his or her own Skill Level 860. In yet another embodiment, the skill level is constantly reassessed based on customer feedback, and records maintained by the web business.

5

Current Bids 870 is a link for jobs on which the bidding is still open, and Current Payments 880 is a link for showing whether the web business has received money for a previously performed job from the customer, are also shown in FIG. 8. As stated above, in this embodiment, the web business acts as the middle man, both receiving the payment from the customer, and paying it out to the stenographer. In addition, the web business charges a transaction fee on top of the bid. In other embodiments, the web business might also charge customers and stenographers for signing up, or an annual membership fee.

All of the information entered by means of the Web Page in FIG. 8 is maintained in a Stenographer Record in the Stenographer Database 239. Potential customers may view some of the data maintained in Stenographers' Records, such as Past Reviews 855, Previous Experience 830, Training 840, Hours of Availability 820. Generally, material that may influence a customer's acceptance of a bid can be seen by the customer.

20

When it comes time to actually do a transcription job, the Transcription Management Server 240 maintains the connection between the customer and the stenographer over the Internet. Initially, the customer and the stenographer login to the Transcription Management Server, where they are connected to each other. The Transcription Management Server 240 also

tracks the elapsed time, and records the transcription, if necessary. In another embodiment, the Transcription Management Server 240 releases the connection so that it is maintained directly between the parties on the Internet. Yet other embodiments use a direct telephone connection between the transcription center and the two parties.

5

Although the embodiments discussed above are directed towards transcription and stenography, the present invention is also directed towards translation services, where a translator provides his or her services to someone who needs real-time translations. In addition, although the embodiments discussed above are mostly directed towards the use of the deaf and the hearing-impaired, the transcription service may be used by lawyers and businessmen who need verified transcriptions of depositions and meetings.

In addition, in embodiments directed towards the deaf and hearing-impaired, the user can type in text, and the stenographer will speak this question aloud, so that a speaker in the vicinity of the user will broadcast the typed in message. This will provide an additional means for the deaf and hearing-impaired to communicate with the speaker whose words are being transcribed. Similarly, when ASR is being used, a text-to-speech synthesizer would be used.

While the present invention has been described with respect to certain preferred
embodiments, it should be understood that the invention is not limited to these particular
embodiments, but, on the contrary, the invention is intended to cover all modifications,
equivalents, and alternatives falling within the spirit and scope of the invention as defined by the
appended claims.